




Shinobi XI.

Enter Shinobi XL, a roomy, feature-packed full tower enclosure that will not only turn heads, but take them clean off. The larger size enables you to outfit your Shinobi XL with the latest fear-inducing hardware, including XL-ATX motherboards and the longest graphics cards. Shinobi XL can accommodate up to two 360mm radiators, making it ideal for watercooling enthusiasts. Four SuperSpeed USB 3.0 ports and the all-new BitFenix SuperCharge™ port keep your peripherals and mobile devices battle-ready, while the BitFenix FlexCage™ hard disk rack adds to the Shinobi XL's nimbleness. With three included Spectre™ fans, tool-free drive locking, filtered intakes and signature BitFenix SofTouch™ Surface Treatment, Shinobi XL is the chassis you need when vengeance is not enough.

## Highlights

- **Classic Shinobi Styling** – Same sleek modern design of BitFenix Shinobi mid tower
- **Superior Watercooling Support** – Fits 360mm radiator on top, and 360mm in front or 240mm on bottom
- **XL-ATX Compatibility** – Fits the latest XL-ATX motherboards with 9 PCI slots
- **BitFenix SuperCharge™ Port** – Supplies up to 2.5A for charging mobile devices
- **Four SuperSpeed USB 3.0 Ports** – Two 20-pin internal connectors with included 9-pin header for USB 2.0
- **BitFenix FlexCage™ Hard Disk Rack** – rotate or remove for ultimate flexibility
- **BitFenix Spectre™ Cooling** – Two 230mm and one 120mm Spectre™ fan included
- **BitFenix SofTouch™ Surface Treatment** – luxurious matte finish and soft feel
- **Hassle-free Installation** – Tool-free drive locking mechanisms, rubber grommets and filtered intakes


Specifications	Shinobi XL
Materials	Steel, Plastic
Color (Int/Ext)	Black/Black
Dimensions (HxWxD)	570 x 245 x 557mm (ATX Full Tower)
Motherboard Sizes	Mini-ITX, mATX, ATX, <b>XL-ATX</b>
5.25" Drive Bays	x 5
3.5" Drive Bays	x 7
2.5" Drive Bays	x 8 (using 3.5" drive bays and 5.25" adapter)
Cooling Front	1 x 230mm (included), or 3 x 120mm (optional)
Cooling Rear	1 x 120mm (included), or 1 x 140mm (optional)
Cooling Top	2 x 230mm (x 1 included), or 3 x 120mm (optional)
Cooling Bottom	2 x 120mm (optional)
PCI Slots	9
I/O	1 x SuperCharge™, 4 x USB 3.0, HD Audio
Power Supply	PS2 ATX (bottom, multi direction)
Extras	Superior watercooling support, FlexCage™, SofTouch™ Surface Treatment, filtered intakes, tool-free drive locking
Maximum CPU Cooler Height	193mm
Maximum Expansion Card Length	377mm (with HDD cage) / 492mm (with HDD cage removed)
Maximum MB Tray Clearance (rear)	34.5mm
P/N	BFC-SNX-500-KKN1-RP
EAN	4716779449044
UPC	886027009048



Classic BitFenix Shinobi Design



Four SuperSpeed USB 3.0 Ports



**BitFenix SuperCharge™ Port**  
for charging mobile devices up to 2.5A



Two 230mm and One 120mm Spectre™ Fan Included

BitFenix SofTouch™ Surface Treatment





## Superior Watercooling Support

- 360mm radiator on top
- 360mm radiator in front or 240mm on bottom




Filtered Intakes



**XL-ATX Compatibility**  
with 9 PCI Slots





**Tool-free Drive Locking**



**CPU Cooler Cutout and Rubber Grommets**

## FlexCage™ Hard Disk Rack





**Box Dimensions: 623mm (H) x 320mm (W) x 615mm (D)**

Container	Without Pallet	With Pallet	QTY/Pallet
20'	216	180	10
40'	456	360	18
40' HQ	532	432	18

