



COLOSSUS M

Colossus Mini-ITX

- Mini-ITX
- Superior water cooling
- Massive storage



Overclocking

NAS Systems

Media Center PCs

Colossus Micro-ATX

- Micro-ATX
- Dual graphics ready
- Added expansion slots



Gaming PCs

MATX Systems

A/V Workstations

LiteTrak™ Technology



- Multimode Lighting (Red → Blue → Green → Pulse)
- Push Button Operation
- Single SATA Power Connection for Easy Setup

Colossus Mini-ITX

Highlights

- **Futuristic Form** – Bold lines with a compact design
- **LiteTrak™ Technology** – Smooth multimode lighting with three colors and an included pulse mode
- **Unmatched Flexibility** – Supports long graphics cards and up to 240mm water cooling radiators
- **Maximum Storage Potential** – Five 3.5" HDDs or eight 2.5" SSD locations available
- **BitFenix FlexCage™** - Modular hard disk cage can be completely removed for added flexibility
- **SuperSpeed USB 3.0** – Two ports included for blazing file transfers
- **BitFenix SofTouch™ Surface Treatment** – Luxurious matte finish and soft feel
- **Friendly Installation** – Tool-free drive locking mechanisms, cable management and filtered intakes




Specifications	Colossus Mini-ITX
Materials	Steel, Plastic
Colors (Int/Ext)	Black/Black
Dimensions (WxHxD)	248 x 348 x 388mm
Motherboard Sizes	Mini-ITX
5.25" Drive Bays	x 1
3.5" Drive Bays	x 5
2.5" Drive Bays	x 8 (5 + 2 + 1)
Cooling Top	120mm x 2 (optional)
Cooling Front	120mm x 2 (1 included) or 140/180/200/230mm x 1 (optional)
Cooling Rear	120mm x 1 (included) or 140mm x 1 (optional)
PCI Slots	x 2
I/O	USB 3.0 x 2, HD Audio
Power Supply	PS2 ATX (bottom, multi direction)
Extras	LiteTrak™ lighting system, SofTouch™ surface treatment, removable dust filters, tool-free drive locking
	Midnight Black
P/N	BFC-CLI-300-KKLS1-RP
EAN	4716779444988
UPC	886027003480

Box Dimensions: 400mm (H) x 312mm (W) x 465mm (D)			
Container	Without Pallet	With Pallet	QTY Per Pallet
20'	520	320	32
40'	1065	640	32
40' HQ	1180	800	40



Two USB 3.0 Ports



Removable Dust Filter

Aluminum Logo

LiteTrak™ Lighting System

SofTouch™ Surface Treatment

Two PCI Slots




Bottom Mounted ATX Power



Accommodates Up to 240mm Radiators
(with FlexCage™ and ODD bay removed)

Tool-free Drive Locking



Fits Tower CPU Coolers
(up to 175mm)

Fits Long Graphics Cards
(up to 320mm with FlexCage™ removed)





Removable FlexCage™



Two 120mm Spectre™ Fans Included

LiteTrak™ Control Button

FlexCage™



Easily Removable for Long Graphics Cards or Water Cooling

Colossus Micro-ATX

Highlights

- **Clean and Modern** – Elegantly styled in a compact package
- **MATX Compatibility** – Fits micro ATX motherboards for added expansion possibilities
- **Unmatched Flexibility** – Fits long dual graphics cards and slim water cooling radiators up to 240mm
- **SuperSpeed USB 3.0** – Two ports included for blazing file transfers
- **BitFenix SofTouch™ Surface Treatment** – Luxurious matte finish and soft feel
- **Trouble-free Installation** – Large CPU cooler cutout, cable management and heat shield




Specifications	Colossus Micro-ATX
Materials	Steel, Plastic
Colors (Int/Ext)	Black/Black
Dimensions (WxHxD)	248 x 348 x 388mm
Motherboard Sizes	Micro-ATX, Mini-ITX
5.25" Drive Bays	x 1
3.5" Drive Bays	x 4
2.5" Drive Bays	x 3
Cooling Top	120mm x 2 (optional)
Cooling Bottom	120mm x 2 (1 included) or 200mm x 1(optional) or 230mm x 1 (optional)
Cooling Rear	120mm x 1 (included) or 140mm x 1 (optional)
PCI Slots	x 5
I/O	USB 3.0 x 2, HD Audio
Power Supply	PS2 ATX (bottom, multi direction)
Extras	LiteTrak™ lighting system, SofTouch™ surface treatment, magnetic heat shield
	Midnight Black
P/N	BFC-CLM-300-KKLS1-RP
EAN	4716779444995
UPC	886027003497

Box Dimensions: 400mm (H) x 312mm (W) x 465mm (D)			
Container	Without Pallet	With Pallet	QTY Per Pallet
20'	520	320	32
40'	1065	640	32
40' HQ	1180	800	40





Accommodates Up to 240mm Slim Radiators
(up to 27mm with single graphics card installed)



Bottom Mounted PSU
(up to 160mm in length)




Removable Storage Rack
(up to 2 x 3.5" or 3 x 2.5" drives)




Two 120mm Spectre™ Fans Included

Removable Storage Rack



Multiple Storage Options for User Customizability

Magnetic Heat Shield



Fine Micro-textured
Surface



- Prevents Warm PSU Exhaust from Re-entering Case
- Magnetic and Easily Removable