



**BEST**

140mm




120mm



MB

120mm



120mm



120mm



140mm



**360**mm AIO Support At MB Tray & Bottom




# Supports **BTF** Back-Connect Motherboard

286mm



420mm

400mm




Back-Connect Motherboard





DUAL CHAMBER  
**HIGH**  
AIRFLOW PERFORMANCE

**3X**  
Reverse Infinity  
Mirrors ARGB fans



1X SSD & 1X HDD



1X SSD

PSU




ATX & Standard /  
up to **190**mm

**1** X 3.5" Drive & **2** X 2.5" Drive

Top



Bottom



Easy Clean With **Removable** Dust Filters

# Tool-free Removal

1X USB 3.0 / 1X USB

Power Button

Reset Button



# BEST

|                                      |                                      |   |
|--------------------------------------|--------------------------------------|---|
| Best                                 | Black                                |   |
| Part no.                             | BFC-BEST75KKGKK-4A                   |   |
| EAN                                  | 4716779449068                        |   |
| UPC                                  | 886027007402                         |   |
| Net weight (NW)<br>Gross weight (GW) | N.W: Kgs / G.W: Kgs                  |   |
| Materials                            | Steel, Mesh, Plastic, Tempered Glass |   |
| Chassis Dimensions<br>(W x H x D)    | 280 mm x 400 mm x 420 mm             |   |
| Motherboard Supports                 | Mini-ITX, MicroATX, ATX              |   |
| Air Cooler Height Support            | 175mm                                |   |
| VGA Length Support                   | 400mm                                |   |
| Cable Management Support             | up to 90mm                           |   |
| 2.5" / 3.5" Drive Bay                | 2 / 1                                |   |
| Fan mounts                           | MB                                   | 3 x 120mm   |
|                                      | Top                                  | 3 x 120mm or 2 x 140mm  |
|                                      | Rear                                 | 1 x 120mm   |
|                                      | Bottom                               | 3 x 120mm or 2 x 140mm  |
| Radiator Support                     | MB                                   | 1 x 360mm/ 1 x 280mm/ 1 x 240mm (Thickness up to 27mm)            |
|                                      | Top                                  | 1 x 360mm/ 1 x 280mm/ 1 x 240mm (Thickness up to 27mm)            |
|                                      | Bottom/ Rear                         | 1 x 360mm/ 1 x 280mm/ 1 x 240mm (Thickness up to 27mm) /1 x 120mm |
| PCI-E Slots                          | 7 Slots                              |   |
| I/O Ports                            | 1 x USB 3.0/ 1 x USB/ Audio I/O      |   |
| Power Supply                         | ATX & Standard / up to 190mm         |   |

# BEST