




CAS



360mm AIO Support : Top



Supports **BTF** Back-Connect Motherboard

280mm

425mm

420mm

Maximum CPU
Cooler Height
160 mm

Cable Management Space **95 mm**

Motherboard
Support

ITX
M-ATX
ATX

Maximum Graphics Card
Support **410 mm**


Back-Connect Motherboard





1X

High-Performance ARGB Fan





6X

High-Performance
Reverse ARGB Fan

This model comes standard with **7** ARGB fans
(**6** reverse-fans + **1** standard fan)

The raised bottom fan bracket increases intake airflow for the bottom fans.



Dual Chamber **High** Airflow Performance



ATX & Standard /
up to **220**mm

PSU

1 X 3.5" Drive & **3** X 2.5" Drive




Easy Clean With **Removable** Dust Filters

1X USB3.0 / 1X USB

Power Button

Reset Button



Tool-free Removal

CAS

Best		Black
Part no.		BFC-CAS-1000W-KKGXK-7A
EAN		4712883213489
UPC		886027010525
Net weight (NW) Gross weight (GW)		N.W: Kgs / G.W: Kgs
Materials		Steel, Mesh, Plastic, Tempered Glass
Chassis Dimensions (W x H x D)		280 mm x 420 mm x 425 mm
Motherboard Supports		Mini-ITX, MicroATX, ATX
Air Cooler Height Support		160mm
VGA Length Support		410mm
Cable Management Support		up to 95 mm
2.5" / 3.5" Drive Bay		3+2 / 3
Fan mounts	MB	3 x 120mm
	Top	3 x 120mm
	Rear	1 x 120mm
	Bottom	3 x 120mm
Radiator Support	MB	1 x 240mm (Thickness up to 27mm)
	Top	1 x 360mm/ 1 x 240mm (Thickness up to 27mm)
	Rear	1 x 120mm
	Bottom	/
PCI-E Slots		7 Slots
I/O Ports		1 x USB3.0 / 1 x USB / HD Audio
Power Supply		ATX & Standard / up to 200mm