

FANG

SALES KIT



ABOUT

DUST FREE DESIGN WITH DUST FILTERS



I/O PORTS



POWER

RESET

HD AUDIO
MIC

USB2.0X1

USB3.0X2

SPACE-EFFICIENT INTERIOR


A

2.5" SSD
B

3.5" HDD



2X 3.5" HDD + 2X 2.5" SSD OR 1X 3.5" HDD + 3X 2.5" SSD



A MOTHERBOARD SUPPORT
MINI-ITX, MICRO ATX, ATX

B CPU COOLER HEIGHT
 $\leq 163\text{MM}$

C MAX. VGA CARD LENGTH
 $\leq 360\text{MM}$

D FRONT RADIATOR SPACE
THICKNESS UP TO 27MM

E

MAX PSU LENGTH

≤ 200MM

F

CABLE MANAGEMENT SPACE


UP TO 26MM




E

F





120 MM



140 MM

FRONT

3 X 120MM OR 2 X 140MM

TOP


2 X 120MM OR 2 X 140MM

REAR

1 X 120MM



RADIATOR CAPACITY



Fang

Part no.	BFC-FANB75KKGSK-4A	
EAN	4712883219399	
UPC	886027160893	
Net weight (NW) Gross weight (GW)	N.W:5.35Kgs / G.W:6.42Kgs	
Materials	Steel, Mesh, Plastic, Tempered Glass	
Chassis Dimensions (W x H x D)	L421*W210*H480 mm	
Motherboard Supports	Mini-ITX, MicroATX, ATX	
M-ATX Motherboard Supports	305mm x244mm	
Air Cooler Height Support	163mm	
VGA Length Support	360mm	
Cable Management Support	up to 26m	
3.5" Drive Bay	2x HDD+ 2x SSD or 1x HDD+ 3x SSD	
2.5" Drive Bay		
Fan mounts	Front	3 x 120mm or 2 x 140mm
	Top	2 x 120mm or 2 x 140mm
	Rear	1 x 120mm
Radiator Support	Front	360mm x 1/280mm x 1/ 240mm x 1 (Thickness up to 27mm)
	Top	280mm x 1/ 240mm x 1 (Thickness up to 27mm)
	Rear	120mm x 1
PCI-E Slots	7 Slots	
I/O Ports	2 x USB 3.0, 1 x USB 2.0, Audio I/O	
Power Supply	ATX & Standard / up to 200mm (Suggest up to 200mm)	