



NOVA TG

Quick Installation Guide


Contents

Contents and Specification are subject to change without notice.

- ***Nova Case***
- ***Nova Quick Installation Guide***

Accessory

- ⊕ Standard M/B 6-32 Screws x 10pcs
- ⊕ M/B copper standoffs x 3pcs (6pcs embedded on M/B tray)
- ⊕ 3.5" HDD screw x 12pcs
- ⊕ 2.5" HDD/ SSD screw x 4pcs
- ⊕ Front Panel Screw x 3pcs
- ⊕ Speaker x 1pcs




Top

Front

Back

Side





Basic Installation

⊕ How to remove the side panels





Overtightening the thumb-screws may damage the tempered glass





How to remove the dust filters

④ FRONT-Remove front panel





④ BOTTOM-Pull the dust filter away from the case to remove it





Installing 3.5" Drives

- ⊕ Silde drive into drive bay





Installing 2.5" Drives

- ⊕ Consider the orientation of the drive, then clip on the drive sleds, with the clips facing the left side of the case.
- ⊕ Slide the drive into the cage until it locks in place, push the sled clips together and pull on the drive to remove it.





Front Fan Installation

- ⊕ Remove the front panel and Install up to 120mm fan(s).




Back Fan Installation

- ⊕ Remove the left side panel and Install up to 120mm fan(s).




PSU/PSU Cover Installation


⊖ Push the PSU cover up and slide it to the right.




Installing 5.25" drives




⊖ Remove drive cover



⊖ Slide drive into drive bay



⊖ Place the drive-locking mechanism to hold the ODD and turn the lock to secure



Control Panel

