


POL II



120mm

120mm

120mm



MB

120mm



360mm AIO Support At Top



Supports **BTF** Back-Connect Motherboard

280mm

425mm

435mm

Maximum CPU
Cooler Height
160mm

Cable Management Space 97mm

Motherboard
Support
ITX
M-ATX
ATX

Maximum Graphics Card
Support **410mm**




Back-Connect Motherboard




3X

**Reverse Infinity
Mirrors ARGB fans**



**DUAL CHAMBER
HIGH
AIRFLOW PERFORMANCE**



PSU


1X SSD & 1X HDD

Power Supply

ATX & Standard /
up to **200**mm



1 X 3.5'' Drive & 1 X 2.5'' Drive



Bottom



Top

Easy Clean With **Removable** Dust Filters

1X Type-C / 1X USB 3.0 / 2X USB

**Power
Button**

Reset Button



Tool-free Removal

T10 Digital ES 10.24		Black	White
Part no.		BFC-POL-700-KKGXK-4A	BFC-POL-700-WWGXW-4A
EAN			
UPC			
Net weight (NW) Gross weight (GW)		N.W: Kgs / G.W: Kgs	N.W: Kgs / G.W: Kgs
Materials		Steel, Mesh, Plastic, Tempered Glass	
Chassis Dimensions (W x H x D)		280 mm x 435 mm x 425	
Motherboard Supports		Mini-ITX, MicroATX, ATX	
Air Cooler Height Support		160mm	
VGA Length Support		410mm	
Cable Management Support		up to 97mm	
2.5" / 3.5" Drive Bay		1+1	
Fan mounts	MB	3 x 120mm	
	Top	3 x 120mm	
	Rear	1 x 120mm	
	Bottom	3 x 120mm	
Radiator Support	MB	1 x 360mm/ 1 x 280mm/ 1 x 240mm (Thickness up to 27mm)	
	Top	1 x 360mm/ 1 x 280mm/ 1 x 240mm (Thickness up to 27mm)	
	Bottom/ Rear	1 x 280mm/ 1 x 240mm (Thickness up to 27mm) / 1 x 120mm	
PCI-E Slots		7 Slots	
I/O Ports		1 x Type-C/ 1 x USB 3.0/ 2 x USB/ Audio I/O	
Power Supply		ATX & Standard / up to 200mm	