



T10
DIGITAL EF

480 X 1920 PIXELS
8.8-INCH IPS SECOND DISPLAY



120mm

120mm
140mm



120mm
140mm

MB

120mm
140mm



360mm

AIO SUPPORT AT TOP



BI-FENIX | SAKIEL



MOTHERBOARD



ATX

Micro-ATX

Mini-ITX

VGA LENGTH
SUPPORT

420mm
(16.5inch)

CABLE
MANAGEMENT

UP TO
90mm(3.5inch)

426mm(16.7 Inch)


277mm(10.9 Inch)



Maximum CPU
Cooler Height
155mm
(6.1 Inch)

Cable Management Space 90mm(3.5 Inch)

443mm(17.4 Inch)



Motherboard
Support

Mini-ITX
MicroATX
ATX

Maximum Graphics Card
Support
420mm(16.5 Inch)


TRENDY DESIGN WITH REVERSE CONNECT **ATX** MOTHERBOARD COMPATIBILITY



ATX



TUF GAMING
Z790-BTF WIFI




3X

**REVERSE INFINITY
MIRRORS ARGB FANS**



**DUAL CHAMBER
HIGH
AIRFLOW PERFORMANCE**

POWER SUPPLY
ATX & Standard /
up to 200mm(7.8 Inch)




2X 3.5" Drive or **3X** 2.5" Drive

SIDE PANEL

TOP



BOTTOM



**EASY CLEAN WITH
REMOVABLE DUST FILTERS**

I/O

1X Type-C & 1X USB 3.0




Power Button

1X USB 3.0

1X USB 2.0

Reset Button

SNAP-ON PANEL FOR EASY
AND **TOOL-FREE** REMOVAL



(Caution!!! Please hold the glass panel with two hands)

Part no.		BFC-KT10EFBBK850-4A	BFC-WT10EFBBW850-4A
EAN / UPC		4712883210617 / 886027161913	4712883210624 / 886027161920
(NW)/ (GW)		N.W:6.9Kgs / G.W:7.9Kgs	
Materials		Steel, Mesh, Plastic, Tempered Glass	
Dimensions (W x H x D)		277 mm x 426 mm x 443 mm	
Carton Size (W x H x D)		344 mm x 515 mm x 492 mm	
Motherboard Supports		Mini-ITX, MicroATX, ATX	
Air Cooler Height Support		155mm	
VGA Length Support		420mm	
Cable Management Support		up to 90mm	
3.5" Drive Bay/ 2.5" Drive Bay		2 / 3	
Fan mounts	MB	120mm x 3 / 140mm x 2	
	Top	120mm x 3 / 140mm x 2	
	Rear	120mm x 1	
	Bottom	120mm x 3 / 140mm x 3	
Radiator Support	MB	360mm x 1 / 280mm / 240mm x 1 (Thickness up to 27mm)	
	Top	360mm x 1 / 280mm / 240mm x 1 (Thickness up to 27mm)	
	Bottom / Rear	280mm / 240mm x 1 (Thickness up to 27mm) / 120mm x 1	
PCI-E Slots		7 Slots	
I/O Ports		USB 3.1/TypeC x 1, USB 3.0 x 1, USB 2.0 x 1, Audio I/O	
Power Supply		ATX & Standard / up to 200mm	

8.8 INCH IPS DISPLAY

Display screen visible size

221mm x 57mm

Product (frame) size

241mm x 77mm x 15mm

Display resolution

480 x 1920 Pixels

Display interface MINI-USB, MINI-HDMI, cable length 1000mm. Adhesive backing on the front.

