(April 7th 2016) BitFenix Design Labs: We wanted to make a difference in the modding world with Alchemy cables and Alchemy cable series helped the modding community immensely. We are now ready to offer you the most customizable sleeving product in the market. Alchemy 2.0 individual wires, Alchemy 2.0 connectors and alchemy 2.0 combs offer extreme customisation with ease of use. All you have to do is plug the wires in any pattern you like and your extension is ready to go.

## Individual Wires

Alchemy 2.0 Individual wires are manufactured to the highest quality, performance and reliability. 16AWG thick pure copper stranded wires are capable of delivering up to 1500W without any resistance. While the new High Current Alloy Terminals minimize the efficiency drop in the extensions.

These high performance cables are sleeved with an ultra-dense sleeve that it moulded to the wire through a heat-shrinkless sleeving process. Thus the sleeve does not move and come off when pulled, making them extremely durable. Alchemy 2.0 Individual cables are very flexible but strong allowing you to get small bends and keep the cables aligned

## Connectors

Precision moulded Alchemy 2.0 connectors are manufactured with special rubber to make sure of perfect fitting extensions. Certified by CUL and TUV these connectors are manufactured to comply with safety standards giving you peace of mind. Alchemy 2.0 connectors can operate in a wide range of temperatures from -10 to 150 ˚C.

## Combs

BitFenix Alchemy Cable comb offer a premium user friendly and a unique SoftHold™ protection for an unparalleled look. These premium cable comb features to fit with a 4mm thick cables and to hold perfectly. In addition, the SoftHold™ protection design can prevent damage to the sleeve and hold the wire. These higly flexible cable combs can be cut into different sizes to fit various cables.

## Alchemy 2.0 Individual Part List

| Description | Specification | Part Number |
|---|---|---|
| 1 x Male Connector<br>1 x Female Connector | 20+4 Pin Connector Pack | BFX-ALC-24CONMBKK-RP |
| 1 x Male Connector<br>1 x Female Connector | EPS12V 8Pin Connector Pack | BFX-ALC-8CONEPSKK-RP |
| 1 x Male Connector<br>1 x Female Connector | ATX12V 4Pin Connector Pack | BFX-ALC-4CONATXKK-RP |
| 1 x Male Connector<br>1 x Female Connector | PCI-E 8Pin Connector Pack | BFX-ALC-8CONPCIKK-RP |
| 1 x Male Connector<br>1 x Female Connector | PCI-E 6Pin Connector Pack | BFX-ALC-6CONPCIKK-RP |
| 5 x Black Sleeved Cable 20cm | Black Sleeved Cable 20cm | BFX-ALC-20CMLK-RP |
| 5 x Black Sleeved Cable 40cm | Black Sleeved Cable 40cm | BFX-ALC-40CMLK-RP |

| | | |
|---|---|---|
| 5 x Black Sleeved Cable 60cm | Black Sleeved Cable 60cm | BFX-ALC-60CMLK-RP |
| 5 x White Sleeved Cable 20cm | White Sleeved Cable 20cm | BFX-ALC-20CMLW-RP |
| 5 x White Sleeved Cable 40cm | White Sleeved Cable 40cm | BFX-ALC-40CMLW-RP |
| 5 x White Sleeved Cable 60cm | White Sleeved Cable 60cm | BFX-ALC-60CMLW-RP |

| | | |
|---|---|---|
| 5 x Red Sleeved Cable 20cm | Red Sleeved Cable 20cm | BFX-ALC-20CMLR-RP |
| 5 x Red Sleeved Cable 40cm | Red Sleeved Cable 40cm | BFX-ALC-40CMLR-RP |
| 5 x Red Sleeved Cable 60cm | Red Sleeved Cable 60cm | BFX-ALC-60CMLR-RP |
| 5 x Green Sleeved Cable 20cm | Green Sleeved Cable 20cm | BFX-ALC-20CMLG-RP |
| 5 x Green Sleeved Cable 40cm | Green Sleeved Cable 40cm | BFX-ALC-40CMLG-RP |
| 5 x Green Sleeved Cable 60cm | Green Sleeved Cable 60cm | BFX-ALC-60CMLG-RP |
| 5 x NV Green Sleeved Cable 20cm | NV Green Sleeved Cable 20cm | BFX-ALC-20CMLN-RP |
| 5 x NV Green Sleeved Cable 40cm | NV Green Sleeved Cable 40cm | BFX-ALC-40CMLN-RP |
| 5 x NV Green Sleeved Cable 60cm | NV Green Sleeved Cable 60cm | BFX-ALC-60CMLN-RP |
| 5 x Blue Sleeved Cable 20cm | Blue Sleeved Cable 20cm | BFX-ALC-20CMLB-RP |
| 5 x Blue Green Sleeved Cable 40cm | Blue Sleeved Cable 40cm | BFX-ALC-40CMLB-RP |
| 5 x Blue Green Sleeved Cable 60cm | Blue Sleeved Cable 60cm | BFX-ALC-60CMLB-RP |
| 5 x Sky Blue Sleeved Cable 20cm | Sky Blue Sleeved Cable 20cm | BFX-ALC-20CMLSB-RP |
| 5 x Sky Blue Green Sleeved Cable 40cm | Sky Blue Sleeved Cable 40cm | BFX-ALC-40CMLSB-RP |
| 5 x Sky Blue Green Sleeved Cable 60cm | Sky Blue Sleeved Cable 60cm | BFX-ALC-60CMLSB-RP |

| | | |
|---|---|---|
| 5 x Orange Sleeved Cable 20cm | Orange Sleeved Cable 20cm | BFX-ALC-20CMLO-RP |
| 5 x Orange Sleeved Cable 40cm | Orange Sleeved Cable 40cm | BFX-ALC-40CMLO-RP |
| 5 x Orange Sleeved Cable 60cm | Orange Sleeved Cable 60cm | BFX-ALC-60CMLO-RP |
| 5 x Gray Sleeved Cable 20cm | Gray Sleeved Cable 20cm | BFX-ALC-20CMLGY-RP |
| 5 x Gray Sleeved Cable 40cm | Gray Sleeved Cable 40cm | BFX-ALC-40CMLGY-RP |
| 5 x Gray Sleeved Cable 60cm | Gray Sleeved Cable 60cm | BFX-ALC-60CMLGY-RP |
| 5 x Yellow Sleeved Cable 20cm | Yellow Sleeved Cable 20cm | BFX-ALC-20CMLY-RP |
| 5 x Yellow Sleeved Cable 40cm | Yellow Sleeved Cable 40cm | BFX-ALC-40CMLY-RP |
| 5 x Yellow Sleeved Cable 60cm | Yellow Sleeved Cable 60cm | BFX-ALC-60CMLY-RP |
| 5 x Purple Sleeved Cable 20cm | Purple Sleeved Cable 20cm | BFX-ALC-20CMLP-RP |
| 5 x Purple Sleeved Cable 40cm | Purple Sleeved Cable 40cm | BFX-ALC-40CMLP-RP |
| 5 x Purple Sleeved Cable 60cm | Purple Sleeved Cable 60cm | BFX-ALC-60CMLP-RP |
| 5 x 24 Slot, 4 mm SoftHold Rubber CableComb | 5 x 24 Slot, 4 mm SoftHold Rubber CableComb | BFX-CBC-24CMRBKIT-RP |